

Akbar Naseri

SELECTED PROJECT


02

Kermanshah, Iran


Commercial and residential accommodation with parking, shared vertical circulation and differentiated upper-floor layouts.

PROJECT DOCUMENTATION


Plans / elevations / sections / construction details




Plans & spatial organisation.




Basement 2 / parking



Ground / commercial



Residential / levels 1-5



Residential / level 6



Elevations & material logic.



DRAWING RELATIONSHIP

Cement-rendered wall surfaces, a stone plinth and repeated openings establish the facade composition. Colours are presentation overlays; refer to the original specification.


DOCUMENTATION FOCUS

Opening alignment, floor levels and shared access.



Sections & vertical organisation.


Vertical Organization



Levels & Program

- 06 Sixth residential floor
+22.10 m / terrace setback
- 01-05 Typical residential floors
+6.10 to +18.90 m
- M Commercial mezzanine
+3.60 m / 100 m²
- G Commercial floor
+1.00 m / 200 m²
- P1 Upper parking
-1.50 m
- P2 Lower parking
-4.00 m

Section Key Plan



Residential floor-to-floor height: 3.20 m. Main roof at +25.30 m; parapet at +26.50 m. The stair enclosure reaches +29.70 m. Original stairs, openings, slabs and sectional dimensions are preserved.

DRAWING RELATIONSHIP

Sections relate the parking and occupied levels to the common circulation core and rooftop enclosure. Read the level annotations with the corresponding plans.

DOCUMENTATION FOCUS

Opening alignment, floor levels and shared access.


SOURCE SECTION

The supplied drawing set contains Section C-C. It is presented here with English level notes and a key plan. No additional section has been reconstructed.




Construction details.

01 Suspended Ceiling Junction




Combined gypsum-board and mineral-tile ceiling. Source junction retains the wall anchorage, suspension, channels, edge profile and ceiling layers.




F47 suspension, hanger, TN25 screws and joint tape. Maximum edge distance: 100 mm, as noted in the source.

02 Wall / Ceiling Connection



F47 ceiling channel and wall fixings. The source specifies connection components and fixing to suit the wall substrate.



Enlarged WC and bathroom floor plans for floors 1-6. Source finish: 200 x 200 mm ceramic tiles; dimensions and fixtures retained.